Notice of Allowability	Application No.	Applicant(s)
	10/646,425	ACAR ET AL.
	Examiner	Art Unit
	Helen Rossoshek	2825
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. X This communication is responsive to <u>amendment filed 06/1</u>	<u>12/2006</u> .	
2. ☑ The allowed claim(s) is/are <u>1-20</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority un</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> </ul>		
2. ☐ Certified copies of the priority documents have		
3. Copies of the certified copies of the priority do	•• —	
International Bureau (PCT Rule 17.2(a)).		<b>5</b>
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give</li> </ol>		
<ol> <li>CORRECTED DRAWINGS ( as "replacement sheets") mus</li> <li>(a) ☐ including changes required by the Notice of Draftspers</li> <li>1) ☐ hereto or 2) ☐ to Paper No./Mail Date</li> </ol>	on's Patent Drawing Review ( PTO-	·
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I</li> </ol>	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🛛 Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dai 8), 7. ⊠ Examiner's Amendr	
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
5. Diological material	9.	/ \
		A. M. Thompson Primary Examiner Technology Contor 7800

Technology Center 2800 //

Application/Control Number: 10/646,425 Page 2

Art Unit: 2825

## **DETAILED ACTION**

1. This office action is in Response to the Application 10/646,425 filed 08/22/2003 and Amendment filed 06/12/2006.

2. Claims 1-20 remain pending in the Application.

3. Applicant's arguments have been fully considered and are persuasive.

#### **EXAMINER'S AMENDMENT**

4. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

5. Authorization for this examiner's amendment was given in a telephone interview with Richard Frankeny (Registration No. 47,573) on 07/13/2006.

The application has been amended as follows:

## To claims

Claim 11 line 4 after "instructions" delete "for performing" insert —which when executed perform--

Claim 1 line 9 after "reducing" delete "a" insert --said--

Claim 11 line 11 after "reducing" delete "a" insert --said--

# Allowable Subject Matter

- 6. Claims 1-20 are allowed.
- 7. The following is an examiner's statement of reasons for allowance: the prior art of record does not disclose the specific arrangement of elements including

determining a leakage poser for each of the circuit macros laid out and configured to create integrated circuit (IC) having IC parameters; determining average leakage power sensitivities for macros to variations in the IC parameters; selecting first parameters form IC parameters in response to analyzing the average leakage power sensitivities; and reducing the leakage power for one or more selected circuit macros of the IC by modifying one or more of the first parameter.

8. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Helen Rossoshek whose telephone number is 571-272-1905. The examiner can normally be reached on 7:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack Chiang can be reached on 571-272-7483. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/646,425 Page 4

Art Unit: 2825

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Examiner Helen Rossoshek AU 2825

A. M. Thompson Primary Examiner Technology Center 2800